



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #:
1A412030000019F000005030
Batch #: 1A412030000019F000005030
Production Method: Ice/Water
Total Amount: 354 ml
Retail Product Size: 354 ml
Retail Serving Size: 354 ml
Servings: 1
Metric Package #:
1A412030000019F000005091
Metric Source Package #:
1A412030000019F000005030

Lab ID: AL60522006-001
Sampled Date: 05/22/26
Sample Collection Time: 08:45 AM
Sampling End: 08:45 AM
Sampling Method: SOP.T.20.010.NY
Sample Size: 354 ml
Completed: 06/01/26
Manifest #: 0000226316
Source Facility: NYHO

FXM Ventures

840 Seneca St
Buffalo, NY, 14210, US
License #: OCM-PROC-25-000291-P1

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration/Foreign
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
0.0050%



Total CBD
<0.0007



Total Cannabinoids
0.0050%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	<0.0007	0.0050	<0.0007	<0.0007
mg/ml	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	<0.0070	0.0500	<0.0070	<0.0070
LOQ	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007	0.0007
Qualifier	%	%	%	%	%	%	%	%	%	%	%	%	%

Weight:
2g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 05/24/26 16:51:18

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
06/01/26
Laboratory License #: OCM-
CPL-24-00006-L1