



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot ID:
1A4120300000C1F000017044
Batch #: 1A4120300000C1F000017044
Production Method: Ethanol
Total Amount: 10 gram
Retail Product Size: 01 gram
Retail Serving Size: 1 gram
Servings: 1
Metric Package #:
1A4120300000C1F000016609
Metric Source Package #:
1A4120300000C1F000017044

Lab ID: AL60523008-002
Sampled Date: 05/23/26
Sample Collection Time: 05:00 PM
Sampling End: 05:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 10 gram
Completed: 05/26/26
Manifest #: 0000237594

Vireo Health of New York LLC

256 County Road 117
Johnstown, NY, 12095, US
License #: OCM-ROND-24-000003

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
80.2625%



Total CBD
0.1293%



Total Cannabinoids
86.0312%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	4.4017	0.7644	0.3730	0.1293	ND	ND	1.9237	ND	ND	3.1317	75.0498	0.0531	0.2046
mg/g	44.0170	7.6445	3.7295	1.2930	ND	ND	19.2365	ND	ND	31.3165	750.4975	0.5310	2.0465
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.135g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 05/26/26 08:01:14

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
05/26/26
Laboratory License #: OCM-
CPL-24-00006-L1