



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: D-2026-025
Production Method: CO2
Total Amount: 22195 gram
Retail Product Size: 1 gram
Retail Serving Size: 0.00278 gram
Servings: 359.71223
Metric Package #:
1A412030000026D000026153
Metric Source Package #:
1A412030000026D000017138

Lab ID: AL60528008-007
Sampled Date: 05/28/26
Sample Collection Time: 03:30 PM
Sampling End: 04:15 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 10 gram
Completed: 05/28/26

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane
Ravena, NY, 12143, US
License #: MM1001M



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
92.8989%



Total CBD
0.2044%



Total Cannabinoids
97.2468%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	1.1206	0.2044	ND	ND	2.2898	ND	ND	0.2095	92.8118	0.0993	0.5113
mg/g	ND	ND	11.2057	2.0443	ND	ND	22.8980	ND	ND	2.0953	928.1183	0.9930	5.1130
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1305g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 05/28/26 15:00:37

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
05/28/26
Laboratory License #: OCM-
CPL-24-00006-L1