



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #: G41-0602-CC-0226-D
Batch #: G41-0602-CC-0226-D
Production Method: Cured
Total Amount: 7.2 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metric Package #:
1A412030000025D000002129
Metric Source Package #:
1A412030000025E000000354

Lab ID: AL60603010-007
Sampled Date: 06/03/26
Sample Collection Time: 11:30 AM
Sampling End: 12:15 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 7.2 gram
Completed: 06/08/26
Manifest #: 0000251339

Etain- Buffalo

310 Ship Canal Pkwy Suite 100
Buffalo, NY, 14218, US
getfluent.com

License #: OCM-XROD-23-000004_MM0409M-P1

SAFETY RESULTS

MISC.

								
Pesticide NOT TESTED	Heavy Metals NOT TESTED	Microbial TESTED	Mycotoxins NOT TESTED	Solvents NOT TESTED	Filtration NOT TESTED	Water Activity NOT TESTED	Moisture Content NOT TESTED	Terpenes NOT TESTED



Cannabinoid

TESTED



Total THC
30.0670%



Total CBD
0.0840%



Total Cannabinoids
36.7192%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.0528	ND	0.0958	ND	0.0478	2.3261	ND	ND	0.6222	33.5745	ND
mg/g	ND	ND	0.5280	ND	0.9580	ND	0.4780	23.2610	ND	ND	6.2220	335.7450	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1897g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 06/05/26 10:00:46

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
06/08/26
Laboratory License #: OCM-
CPL-24-00006-L1