



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #:
1A412030000191D000009125
Batch #: test-06092026
Production Method: Ethanol
Total Amount: 10 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metrc Package #:
1A412030000191D000006199
Metrc Source Package #:
1A412030000191D000009125

Lab ID: AL60611008-009
Sampled Date: 06/11/26
Sample Collection Time: 02:30 PM
Sampling End: 03:30 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 10 gram
Completed: 06/15/26
Manifest #: 0000265150

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
www.hempproductions.com
License #: OCM-PROC-24-000237



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
82.8865%



Total CBD
0.6856%



Total Cannabinoids
96.4343%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	0.2162	0.4661	0.4069	0.3177	0.0903	5.6028	ND	ND	2.8571	82.6703	ND	3.8069
mg/g	ND	2.1615	4.6605	4.0690	3.1775	0.9035	56.0275	ND	ND	28.5715	826.7035	ND	38.0690
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1451g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 06/15/26 12:52:01

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
06/15/26
Laboratory License #: OCM-
CPL-24-00006-L1