



Certificate of Analysis

Pages 1 of 5

FOR COMPLIANCE

PASSED



Harvest/Lot #:
1A41203000016A9000001271
Batch #: EUV-MIM2G-061726
Production Method: Ethanol
Total Amount: 400 units
Retail Product Size: 2 gram
Retail Serving Size: 2 gram
Servings: 1
Metrc Package #:
1A41203000016A9000001288
Metrc Source Package #:
1A41203000016A9000001271

Lab ID: AL60618009-011
Sampled Date: 06/17/26
Sample Collection Time: 02:30 PM
Sampling End: 03:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 12 units
Completed: 06/27/26
Manifest #: 0000274801

Eureka Vapor - Gezoont Goodies NY LLC

3199 Albany Post Rd
Buchanan, NY, 10511, US
License #: OCM-PROC-24-000041

SAFETY RESULTS

MISC.



Pesticide
PASSED



Heavy Metals
PASSED



Microbial
PASSED



Mycotoxins
PASSED



Solvents
PASSED



Filtration
NOT TESTED



Water Activity
NOT TESTED



Moisture Content
NOT TESTED



Terpenes
PASSED



Cannabinoid

PASSED



Total THC
90.1509%

Total THC/Container: 1803.0189 mg



Total CBD
0.2010%

Total CBD/Container: 4.0200 mg



Total Cannabinoids
94.9600%

Total Cannabinoids/Container: 1899.2000 mg

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	<0.1000	<0.1000	1.1150	0.2010	<0.1000	<0.1000	2.2320	<0.1000	<0.1000	0.5530	89.9010	0.2850	0.6730
mg/unit	<2.0000	<2.0000	22.3000	4.0200	<2.0000	<2.0000	44.6400	<2.0000	<2.0000	11.0600	1798.0200	5.7000	13.4600
LOQ	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000	0.1000
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.1084g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 06/27/26 12:43:25

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
06/27/26
Laboratory License #: OCM-
CPL-24-00006-L1



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Eureka 2000mg Reload Hybrid Mimosa
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 2 of 5

Eureka Vapor - Gezoont Goodies NY LLC Sample: AL60618009-011

3199 Albany Post Rd
Buchanan, NY, 10511, US
License # : OCM-PROC-24-000041

Batch #: EUV-MIM2G-061726
Harvest/Lot ID: 1A41203000016A9000001271
Seed to sale: 1A41203000016A9000001288

Ordered: 06/18/26
Sampled: 06/17/26
Completed: 06/27/26

PASSED



Label Claim Verification

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

Weight:

Analysis Method : N/A
Analyzed Date : 06/27/26 12:43:37



Terpenes

PASSED

ANALYTES

LOQ LIMIT PASS/FAIL RESULT (%) (MG/UNIT) QUALIFIER

TOTAL TERPENES	0.1000	11.5	PASS	4.8440	96.8800
LIMONENE	0.1000	10	PASS	1.9310	38.6200
TERPINOLENE	0.0400	10	PASS	0.6830	13.6600
BETA-CARYOPHYLLENE	0.0400	10	PASS	0.5590	11.1800
LINALOOL	0.1000	10	PASS	0.3180	6.3600
BETA-MYRCENE	0.1000	10	PASS	0.2970	5.9400
OCIMENE	0.1000	10	PASS	0.2890	5.7800
ALPHA-PINENE	0.1000	10	PASS	0.1740	3.4800
ALPHA-HUMULENE	0.0400	10	PASS	0.1650	3.3000
BETA-PINENE	0.1000	10	PASS	0.1640	3.2800
ALPHA-BISABOLOL	0.0400	10	PASS	0.1120	2.2400
FENCHYL ALCOHOL	0.0400	10	PASS	0.0600	1.2000
CARYOPHYLLENE OXIDE	0.0400	10	PASS	0.0490	0.9800
ALPHA TERPINEOL	0.0400	10	PASS	0.0430	0.8600
CAMPHENE	0.1000	10	PASS	<0.1000	<2.0000
FARNESENE	0.0400	10	PASS	<0.0400	<0.8000
GERANIOL	0.0400	10	PASS	<0.0400	<0.8000
GUAJOL	0.0400	10	PASS	<0.0400	<0.8000
MENTHOL	0.1000	10	PASS	<0.1000	<2.0000
VALENCENE	0.1000	10	PASS	<0.1000	<2.0000
ALPHA-PHELLANDRENE	0.1000	10	PASS	<0.1000	<2.0000
ALPHA-TERPINENE	0.1000	10	PASS	<0.1000	<2.0000

Weight:

1.0144g

Analysis Method : SOP.T.30.064.NY, SOP.T.40.064.NY

Analyzed Date : 06/25/26 11:58:34



Pesticide

PASSED

ANALYTES

UNIT LOQ LIMIT PASS/FAIL RESULT QUALIFIER

PRALLETHRIN	ppm	0.1000	Not Present	PASS	<0.1000
ACEQUINOCYL	ppm	0.1000	Not Present	PASS	<0.1000
PYRETHRINS, TOTAL	ppm	0.1000	Not Present	PASS	<0.1000
AZADIRACTIN	ppm	0.1000	Not Present	PASS	<0.1000
INDOLE-3-BUTYRIC ACID	ppm	0.1000	Not Present	PASS	<0.1000
MYCLOBUTANIL	ppm	0.1000	Not Present	PASS	<0.1000
PIPERONYL BUTOXIDE	ppm	0.1000	Not Present	PASS	<0.1000
ABAMECTIN B1A	ppm	0.1000	Not Present	PASS	<0.1000
ACEPHATE	ppm	0.1000	Not Present	PASS	<0.1000
ACETAMIPRID	ppm	0.1000	Not Present	PASS	<0.1000
ALDICARB	ppm	0.1000	Not Present	PASS	<0.1000

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
06/27/26

Laboratory License #: OCM-
CPL-24-00006-L1



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Eureka 2000mg Reload Hybrid Mimosa
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 3 of 5

Eureka Vapor - Gezoont Goodies NY LLC Sample: AL60618009-011

3199 Albany Post Rd
Buchanan, NY, 10511, US
License # : OCM-PROC-24-000041

Batch #: EUV-MIM2G-061726
Harvest/Lot ID: 1A41203000016A9000001271
Seed to sale: 1A41203000016A9000001288

Ordered: 06/18/26
Sampled: 06/17/26
Completed: 06/27/26

PASSED



Pesticide

PASSED

ANALYTES	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
AZOXYSTROBIN	ppm	0.1000	Not Present	PASS	<0.1000	
CHLORMEQUAT CHLORIDE	ppm	0.1000	Not Present	PASS	<0.1000	
BIFENAZATE	ppm	0.1000	Not Present	PASS	<0.1000	
BIFENTHRIN	ppm	0.1000	Not Present	PASS	<0.1000	
CARBARYL	ppm	0.1000	Not Present	PASS	<0.1000	
CHLORPYRIFOS	ppm	0.1000	Not Present	PASS	<0.1000	
COUMAPHOS	ppm	0.1000	Not Present	PASS	<0.1000	
DAMINOZIDE	ppm	0.1000	Not Present	PASS	<0.1000	
CARBOFURAN	ppm	0.1000	Not Present	PASS	<0.1000	
BOSCALID	ppm	0.1000	Not Present	PASS	<0.1000	
CHLORANTRANILIPROLE	ppm	0.1000	Not Present	PASS	<0.1000	
DIAZINON	ppm	0.1000	Not Present	PASS	<0.1000	
CLOFENTEZINE	ppm	0.1000	Not Present	PASS	<0.1000	
DICHLORVOS	ppm	0.1000	Not Present	PASS	<0.1000	
DIMETHOATE	ppm	0.1000	Not Present	PASS	<0.1000	
DIMETHOMORPH	ppm	0.1000	Not Present	PASS	<0.1000	
ETHOPROPHOS	ppm	0.1000	Not Present	PASS	<0.1000	
ETOFENPROX	ppm	0.1000	Not Present	PASS	<0.1000	
ETOXAZOLE	ppm	0.1000	Not Present	PASS	<0.1000	
FENHEXAMID	ppm	0.1000	Not Present	PASS	<0.1000	
FENOXYCARB	ppm	0.1000	Not Present	PASS	<0.1000	
FENPYROXIMATE	ppm	0.1000	Not Present	PASS	<0.1000	
FIPRONIL	ppm	0.1000	Not Present	PASS	<0.1000	
FLONICAMID	ppm	0.1000	Not Present	PASS	<0.1000	
FLUDIOXONIL	ppm	0.1000	Not Present	PASS	<0.1000	
HEXYTHIAZOX	ppm	0.1000	Not Present	PASS	<0.1000	
IMAZALIL	ppm	0.1000	Not Present	PASS	<0.1000	
IMIDACLOPRID	ppm	0.1000	Not Present	PASS	<0.1000	
KRESOXIM METHYL	ppm	0.1000	Not Present	PASS	<0.1000	
MALATHION	ppm	0.1000	Not Present	PASS	<0.1000	
METALAXYL	ppm	0.1000	Not Present	PASS	<0.1000	
METHIOCARB	ppm	0.1000	Not Present	PASS	<0.1000	
METHOMYL	ppm	0.1000	Not Present	PASS	<0.1000	
MEVINPHOS	ppm	0.1000	Not Present	PASS	<0.1000	
NALED	ppm	0.1000	Not Present	PASS	<0.1000	
OXAMYL	ppm	0.1000	Not Present	PASS	<0.1000	
PACLOBUTRAZOL	ppm	0.1000	Not Present	PASS	<0.1000	
PERMETHRIN	ppm	0.1000	Not Present	PASS	<0.1000	
PHOSMET	ppm	0.1000	Not Present	PASS	<0.1000	
PROPICONAZOLE	ppm	0.1000	Not Present	PASS	<0.1000	
PROPOXUR	ppm	0.1000	Not Present	PASS	<0.1000	
PYRIDABEN	ppm	0.1000	Not Present	PASS	<0.1000	
SPINETORAM, TOTAL	ppm	0.1000	Not Present	PASS	<0.1000	
SPINOSAD, TOTAL	ppm	0.1000	Not Present	PASS	<0.1000	
SPIROMESIFEN	ppm	0.1000	Not Present	PASS	<0.1000	
SPIROTETRAMAT	ppm	0.1000	Not Present	PASS	<0.1000	
SPIROXAMINE	ppm	0.1000	Not Present	PASS	<0.1000	
TEBUCONAZOLE	ppm	0.1000	Not Present	PASS	<0.1000	
THIACLOPRID	ppm	0.1000	Not Present	PASS	<0.1000	
THIAMETHOXAM	ppm	0.1000	Not Present	PASS	<0.1000	
TRIFLOXYSTROBIN	ppm	0.1000	Not Present	PASS	<0.1000	
CAPTAN	ppm	0.1000	Not Present	PASS	<0.1000	
CHLORDANE	ppm	0.1000	Not Present	PASS	<0.1000	
CHLORFENAPYR	ppm	0.1000	Not Present	PASS	<0.1000	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy

Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
06/27/26

Laboratory License #: OCM-
CPL-24-00006-L1



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Eureka 2000mg Reload Hybrid Mimosa
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 4 of 5

Eureka Vapor - Gezoont Goodies NY LLC Sample: AL60618009-011

3199 Albany Post Rd
Buchanan, NY, 10511, US
License # : OCM-PROC-24-000041

Batch #: EUV-MIM2G-061726
Harvest/Lot ID: 1A41203000016A9000001271
Seed to sale: 1A41203000016A9000001288

Ordered: 06/18/26
Sampled: 06/17/26
Completed: 06/27/26

PASSED



Pesticide

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
CYFLUTHRIN	ppm	0.1000	Not Present	PASS	<0.1000	
CYPERMETHRIN	ppm	0.1000	Not Present	PASS	<0.1000	
METHYL PARATHION	ppm	0.1000	Not Present	PASS	<0.1000	
MGK-264	ppm	0.1000	Not Present	PASS	<0.1000	
PENTACHLORONITROBENZENE	ppm	0.1000	Not Present	PASS	<0.1000	

Weight:
0.455g

Analysis Method : SOP.T.40.104.NY, SOP.T30.104.NY and SOP.T.40.154.NY
Analyzed Date : 06/27/26 12:26:43

Weight:
0.455g

Analysis Method : SOP.T.40.154.NY
Analyzed Date : 06/26/26 08:33:29



Residual Solvents

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
PENTANES, TOTAL	ppm	125.0	5000	PASS	<125.0	
HEXANE, TOTAL	ppm	125.0	290	PASS	<125.0	
1,1,1-TRICHLOROETHANE	ppm	375.0	1500	PASS	<375.0	
DIMETHYL SULFOXIDE	ppm	375.0	5000	PASS	<375.0	
1,1,1,2-TETRAFLUOROETHANE	ppm	500.0	1000	PASS	<500.0	
XYLENES, TOTAL	ppm	125.0	2170	PASS	<125.0	
BUTANES, TOTAL	ppm	750.0	5000	PASS	<750.0	
PROPANE	ppm	750.0	5000	PASS	<750.0	
1,2-DICHLOROETHANE	ppm	1.2	5	PASS	<1.2	
METHANOL	ppm	125.0	3000	PASS	<125.0	
ETHANOL	ppm	125.0	5000	PASS	<125.0	
ETHYL ETHER	ppm	125.0	5000	PASS	<125.0	
ACETONE	ppm	125.0	5000	PASS	<125.0	
2-PROPANOL	ppm	125.0	5000	PASS	<125.0	
ACETONITRILE	ppm	125.0	410	PASS	<125.0	
DICHLOROMETHANE	ppm	125.0	600	PASS	<125.0	
ETHYL ACETATE	ppm	125.0	5000	PASS	<125.0	
BENZENE	ppm	1.2	2	PASS	<1.2	
N-HEPTANE	ppm	125.0	5000	PASS	<125.0	
TOLUENE	ppm	125.0	890	PASS	<125.0	
CHLOROFORM	ppm	1.2	60	PASS	<1.2	

Weight:
0.0276g

Analysis Method : SOP.T.40.044.NY
Analyzed Date : 06/27/26 12:35:44



Microbial

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AEROBIC BACTERIA	CFU/g	10	Not Present	PASS	ND	

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
06/27/26
Laboratory License #: OCM-
CPL-24-00006-L1



1 Winners Circle
Albany, NY, 12205, US
(833) 465-8378

Kaycha Labs

Eureka 2000mg Reload Hybrid Mimosa
Matrix: Derivative
Classification: Inhalable Concentrates
Type: Vape Cartridge



Certificate of Analysis

Pages 5 of 5

Eureka Vapor - Gezoont Goodies NY LLC Sample: AL60618009-011

3199 Albany Post Rd
Buchanan, NY, 10511, US
License # : OCM-PROC-24-000041

Batch #: EUV-MIM2G-061726
Harvest/Lot ID: 1A41203000016A9000001271
Seed to sale: 1A41203000016A9000001288

Ordered: 06/18/26
Sampled: 06/17/26
Completed: 06/27/26

PASSED



Microbial

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL YEAST AND MOLD	CFU/g	10	Not Present	PASS	ND	
ESCHERICHIA COLI/SHIGELLA	pass/fail	1	Not Present	PASS	Not Present	
SALMONELLA SPECIES	pass/fail	1	Not Present	PASS	Not Present	
ASPERGILLUS TERREUS	pass/fail	10000	Not Present	PASS	Not Present	
ASPERGILLUS NIGER	pass/fail	10000	Not Present	PASS	Not Present	
ASPERGILLUS FLAVUS	pass/fail	10000	Not Present	PASS	Not Present	
ASPERGILLUS FUMIGATUS	pass/fail	10000	Not Present	PASS	Not Present	

Weight:
1.04g

Analysis Method : SOP.T.40.058A.NY, SOP.T.40.058B.NY, SOP.T.40.056C, SOP.T.40.209.NY
Analyzed Date : 06/24/26 08:58:49



Mycotoxins

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
TOTAL AFLATOXINS (B1, B2, G1, G2)	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN G2	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN G1	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN B2	ppm	0.0100	0.02	PASS	<0.0100	
AFLATOXIN B1	ppm	0.0100	0.02	PASS	<0.0100	
OCHRATOXIN A+	ppm	0.0100	0.02	PASS	<0.0100	

Weight:
0.455g

Analysis Method : SOP.T.30.104.NY, SOP.T.40.104.NY
Analyzed Date : 06/27/26 12:30:47



Heavy Metals

PASSED

ANALYTES

	UNIT	LOQ	LIMIT	PASS/FAIL	RESULT	QUALIFIER
ANTIMONY	ug/g	0.1000	2	PASS	<0.1000	
ARSENIC	ug/g	0.1000	0.2	PASS	<0.1000	
CADMIUM	ug/g	0.1000	0.2	PASS	<0.1000	
CHROMIUM	ug/g	1.0000	110	PASS	<1.0000	
COPPER	ug/g	1.0000	30	PASS	<1.0000	
LEAD	ug/g	0.1000	0.5	PASS	<0.1000	
MERCURY	ug/g	0.0100	0.1	PASS	<0.0100	
NICKEL	ug/g	0.1000	2	PASS	<0.1000	

Weight:
0.4271g

Analysis Method : SOP.T.30.084.NY, SOP.T.40.084.NY
Analyzed Date : 06/22/26 11:33:09

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Signature
06/27/26
Laboratory License #: OCM-
CPL-24-00006-L1