



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #: 2026-06-01-DRYING ROOM-H
Batch #: 0002
Production Method: Cured
Total Amount: 3 gram
Servings: 1
Metrc Package #: 1A412030000165D000000097
Metrc Source Package #: 1A412030000165C000000002
Lab ID: AL60707007-002
Sampled Date: 07/06/26
Sample Collection Time: 12:00 PM
Sampling End: 02:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 3 gram
Completed: 07/09/26
Manifest #: 0000299428

Gaea's Garden

134-24 Northern Blvd
Flushing, NY, 11354, US

License # : OCM-MICR-24-000030

SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
22.6685%



Total CBD
0.0639%



Total Cannabinoids
25.8519%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.1002	ND	0.0729	ND	0.0572	0.1540	ND	0.0230	2.8745	22.5701	ND
mg/g	ND	ND	1.0020	ND	0.7290	ND	0.5720	1.5400	ND	0.2300	28.7450	225.7010	ND
LOQ	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020
%	%	%	%	%	%	%	%	%	%	%	%	%	%

Qualifier

Weight:
0.2017g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/09/26 09:03:42

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
07/09/26
Laboratory License #: OCM-
CPL-24-00006-L1