



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Batch #: D-2026-026 D1 J8
Production Method: CO2
Total Amount: 2947 gram
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metric Package #:
1A412030000026D000013374
Metric Source Package #:
1A412030000026D000026154

Lab ID: AL60727004-016
Sampled Date: 07/27/26
Sample Collection Time: 02:10 PM
Sampling End: 03:40 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 8 gram
Completed: 07/29/26
Manifest #: 0000330559

Curaleaf NY, LLC.

167 Coeymans Industrial Park Lane
Ravena, NY, 12143, US
License # : MM1001M



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
90.1894%



Total CBD
0.1701%



Total Cannabinoids
94.9298%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	1.0511	0.1701	ND	ND	2.7333	ND	ND	0.1748	90.1614	0.0319	0.6072
mg/g	ND	ND	10.5110	1.7010	ND	ND	27.3330	ND	ND	1.7480	901.6140	0.3190	6.0720
Qualifier													
LOQ (%)	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020

Weight:
0.1193g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/29/26 13:24:18

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
07/29/26
Laboratory License #: OCM-
CPL-24-00006-L1