



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #:
1A41203000049D9000000243
Batch #: 260429DCRPPW
Production Method: Ice/Water
Total Amount: 1741 gram
Retail Product Size: gram
Retail Serving Size: gram
Servings: 1
Metrc Package #:
1A412030000191D000006574
Metrc Source Package #:
1A41203000049D9000000243

Lab ID: AL60728001-002
Sampled Date: 07/28/26
Sample Collection Time: 02:00 PM
Sampling End: 03:00 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 5 gram
Completed: 07/30/26
Manifest #: 0000333002

HPI Canna Inc

886 Noxon Road
Poughkeepsie, NY, 12603, US
www.hempproductions.com
License #: OCM-PROC-24-000237



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
73.2414%



Total CBD
0.2839%



Total Cannabinoids
77.5399%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	0.1713	0.0276	1.0106	0.1281	0.1777	ND	1.7454	0.4198	0.0582	0.2240	72.8358	0.1693	0.5721
mg/g	1.7130	0.2760	10.1060	1.2810	1.7770	ND	17.4540	4.1980	0.5820	2.2400	728.3580	1.6930	5.7210
Qualifier													
LOQ (%)	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020

Weight:
0.1697g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 07/30/26 12:57:23

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
07/30/26
Laboratory License #: OCM-
CPL-24-00006-L1