



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #: KC-0610-AL-0326-D
Batch #: KC-0610-AL-0326-D
Production Method: Cured
Total Amount: 7093.18 gram
Retail Product Size: gram
Retail Serving Size: gram
Servings: 1
Metric Package #:
1A412030000025D000003124
Metric Source Package #:
1A412030000025E000000420

Lab ID: AL60806006-003
Sampled Date: 08/06/26
Sample Collection Time: 12:00 PM
Sampling End: 12:20 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 7 gram
Completed: 08/11/26
Manifest #: 0000346991

Etain- Buffalo

310 Ship Canal Pkwy Suite 100
Buffalo, NY, 14218, US
getfluent.com

License #: OCM-XROD-23-000004_MM0409M-P1

SAFETY RESULTS

MISC.

								
Pesticide	Heavy Metals	Microbial	Mycotoxins	Solvents	Filtration	Water Activity	Moisture	Terpenes
NOT TESTED	NOT TESTED	TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED	NOT TESTED

Cannabinoid

TESTED

	Total THC 21.9556%					Total CBD 0.0524%					Total Cannabinoids 26.2394%			
	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV	
%	0.0497	ND	ND	ND	0.0597	ND	0.1309	1.0942	ND	ND	0.5230	24.3819	ND	
mg/g	0.4970	ND	ND	ND	0.5970	ND	1.3090	10.9420	ND	ND	5.2300	243.8190	ND	
Qualifier														
LOQ (%)	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	

Weight:
0.1936g

Analysis Method: SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date: 08/10/26 10:45:59

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164



Signature
08/11/26
Laboratory License #: OCM-
CPL-24-00006-L1