



Certificate of Analysis

Pages 1 of 1

FOR R&D

TESTED



Harvest/Lot #:
1A4120300001E28000000129
Batch #: RL-LD-260622
Production Method: Cured
Total Amount: 2 units
Retail Product Size: 1 gram
Retail Serving Size: 1 gram
Servings: 1
Metrc Package #:
1A4120300001E28000000131
Metrc Source Package #:
1A4120300001E28000000129

Lab ID: AL60812003-001
Sampled Date: 08/12/26
Sample Collection Time: 12:20 PM
Sampling End: 01:30 PM
Sampling Method: SOP.T.20.010.NY
Sample Size: 2 units
Completed: 08/20/26
Manifest #: 0000354371

ReliefLeaf

833 Oak Hill Rd
Esperance, NY, 12066, US
License #: OCM-PROC-24-000029



SAFETY RESULTS

MISC.



Pesticide



Heavy Metals



Microbial



Mycotoxins



Solvents



Filtration
Material
NOT TESTED



Water Activity
NOT TESTED



Moisture
Content
NOT TESTED



Terpenes
NOT TESTED



Cannabinoid

TESTED



Total THC
38.4038%



Total CBD
0.0308%



Total Cannabinoids
41.5305%

	(6AR,9R) D10-THC	(6AR,9S) D10-THC	CBC	CBD	CBDA	CBDV	CBG	CBGA	D8-THC	CBN	D9-THC	THCA	THCV
%	ND	ND	0.0535	ND	0.0351	ND	0.2757	0.3257	ND	0.1845	23.1484	17.3950	0.1126
mg/unit	ND	ND	0.5350	ND	0.3510	ND	2.7570	3.2570	ND	1.8450	231.4840	173.9500	1.1260
Qualifier													
LOQ (%)	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020	0.0020

Weight:
1.5139g

Analysis Method : SOP.T.30.031.NY, SOP.T.40.031.NY
Analyzed Date : 08/14/26 09:54:37

This Kaycha Labs Certification shall not be reproduced, unless in its entirety, without written approval from Kaycha Labs. The results relate only to the material or product analyzed. ND=Not Detected, ppm=Parts Per Million, ppb=Parts Per Billion, RSD=Relative Standard Deviation. Limit of Detection (LOD) and Limit Of Quantitation (LOQ) are terms used to describe the smallest concentration that can be detected and reliably measured by an analytical procedure, respectively. Action Levels are State determined thresholds based on 9 New York Codes, Rules and Regulations (NYCRR) Part 130 and Cannabis Law. The Measurement of Uncertainty (MU) error is available from the lab upon request. The "Decision Rule" for pass/fail does not include the MU. Any calculated totals may contain rounding errors.

Erica Troy
Lab Director

State License # OCM-
CPL-2022-00006
ISO 17025 Accreditation #
97164

Erica Troy

Signature
08/20/26
Laboratory License #: OCM-
CPL-24-00006-L1